
prodigy




The PRODIGY cable basket offers a unique combination of features: speed of installation, strength, versatility, aesthetics and a configurability unlike anything that has been seen before within a cable management system.

The PRODIGY cable basket is compatible with OE Elsafe Qikfit Power, Data and AV components which simply 'click' directly onto the face or back of the basket.

Prodigy is available in single tier, double tier or single tier 300mm wide for double width desking systems. The single tier baskets are also stackable to create a sturdy multi-tier solution within a matter of seconds.

These features combined with the built-in mounting brackets make 'PRODIGY' simply the fastest cable management system to install today.





prodigy FEATURES

WIDE VARIETY OF LENGTHS & CONFIGURATIONS:

Single tier available in four lengths:

• 750mm • 950mm • 1250mm • 1550mm

Double tier available in two lengths:

• 1250mm • 1550mm

Stackable:

Single tier baskets are stackable to create a sturdy double tier system without the use of external brackets within a matter of seconds

Back to back solution:

Single tier baskets can be used 'back to back', allowing all the benefits of a double tier basket within minimum height requirements – ideal for 'sit to stand' desks.

SPEED OF INSTALLATION

Designed to allow the OE Elsafe 'Qikfit' range of Power, Data and AV products to simply 'click' directly into the face of the wire basket without the need for extra clips, panels or adaptors.

Allows all interconnecting leads and data leads to be kept in basket itself, saving time on installation. In-built extended mounting arm for easy fixing.

No screws supplied. Securing fixings may vary due to surface depth and surface material, as such fixings are to be supplied by the installer.

A long drill bit or drill bit extension is required to fix bracket to undersurface

VERSATILITY

The simple 'click in/click out' installation allows for fast and easy reconfigurations or changes that may be required on site.

FLEXIBILITY & STRENGTH

Engineered with a combination of 3mm square wire to allow the flexibility required for Power, Data and AV installation, and 4mm square wire that gives the PRODIGY its unparalleled sturdiness when installed.

COST EFFECTIVE


In-built mounting arm & snap-in functionality = no additional brackets, clips or panels required for installation.

COMPATIBLE

Compatible with the Prodigy Umbilical Mounting Bracket for a complete sleek cable management solution.

COLOURS

Available in three colours: white, black and grey.






prodigy TECHNICAL

Single tier 750mm

White 294800 Black 294810 Grey 294820




Single tier 950mm

White 294801 Black 294811 Grey 294821

Single tier 1250mm


White 294802 Black 294812 Grey 294822



950.00


Single tier 1550mm

White 294803 Black 294813 Grey 294823



Double tier 1250mm

White 294807 Black 294817 Grey 294827



Double tier 1550mm

White 294808 Black 294818 Grey 294828



prodigy TECHNICAL

300 WIDE LENGTHS & CONFIGURATIONS:

Available in three lengths:

• 950mm • 1250mm • 1550mm

Suitable for back to back workstations:

Designed to service back to back workstations, providing cable management accessability on both sides.

SPEED OF INSTALLATION

Designed to allow the OE Elsafe 'Qikfit' range of Power, Data and AV products to simply 'click' directly into the face of the wire basket without the need for extra clips, panels or adaptors.

Allows all interconnecting leads and data leads to be kept in basket itself, saving time on installation.

In-built extended mounting arm for easy fixing.

No screws supplied. Securing fixings may vary due to surface depth and surface material, as such fixings are to be supplied by the installer.

COMPATIBLE


Compatible with the Prodigy Umbilical Mounting Bracket for a complete sleek cable management solution.


COLOURS

Available in two colours: white or black.

300 Wide 950mm


White 294841 Black 294844





300 Wide 1250mm

White 294842 Black 294845



300 Wide 1550mm

White 294843 Black 294846

